

REFERENCES

- Archambault, G., Fortin, M., Gill, D. E., Aubertin, M., and Ladanyi, B. (1990). Experimental investigations for an algorithm simulating the effect of variable normal stiffness on discontinuities shear strength. In Barton and Stephansson (eds.). **Rock Joint** (pp. 141-148). Rotterdam: A.A. Balkema.
- ASTM D2938. Standard test methods for unconfined compressive strength of intact rock core specimens. In **Annual Book of ASTM Standards** (Vol. 04.08). Philadelphia: American Society for Testing and Materials.
- ASTM D5607. Standard test methods for performing laboratory direct shear strength tests of rock specimens. In **Annual Book of ASTM Standards** (Vol. 04.08). Philadelphia: American Society for Testing and Materials.
- Balazs, V. (1998). Shear failure in rock using different constant normal load. **Periodica Polytechnica Ser. Civ. Eng.** 43(2): 179-186.
- Baliga, B. D. and Singh, V. K. (1992). Geotechnical investigation and appraisal of face stability in jointed rock mass in copper open-pit Rajasthan. In **Regional Symposium on Rock Slopes** (pp. 27-33). India: Oxford & IBH.
- Bandis, S. C. (1993). Engineering properties and characterization of rock discontinuities. **Comprehensive Rock Engineerin** (Vol. I, pp. 155-184).
- Barton, N. R. (1972). A model study of rock joint deformation. **International Journal of Rock Mechanics and Mining Sciences.** 9: 579-602.
- Barton, N. R. (1973). Review of a new shear strength criterion for rock joints. **Engineering Geology.** 7: 287-332.

- Barton, N. R. (1976). The shear strength of rock and rock joints. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 13: 255-279.
- Barton, N. R. and Bandis, S. (1982). Effect of block size on the shear behavior of jointed rock. In **Proceedings of the 23rd US Symposium on Rock Mechanics** (pp. 739-760). Berkeley: SME.
- Barton, N. R. and Bandis, S. (1990). Review of predictive capabilities of JRC-JCS model in engineering practice. In **Proceedings of the International Conference on Rock Joints** (pp. 603-610). Norway: Leon.
- Barton, N. R. and Choubey, V. (1977). The shear strength of rock joints in theory and practice. **Rock Mechanics**. 10: 1-54.
- Beer, A. J., Stead, D., and Coggan, J. S. (2002). Technical note estimation of the joint roughness coefficient (JRC) by Visual Comparison. **Rock Mechanics Rock Engineering**. 35(1): 65-74.
- Bell, F. G. (1978). The physical and mechanical properties of the fell sandstones Northumberland England. **Engineering Geology**. 12: 1-29.
- Bieniawski, Z. T. (1981). Improved design of coal pillars for mining conditions. In **Proceedings of the 1st Annual Conference on Ground Control in Mining** (pp. 12-22). West Virginia University.
- Brace, W. F. (1961). Dependence of fracture strength of on grain size. In **Proceeding of the 4th Symposium on Rock Mechanics** (pp.99-103). Pennsylvania University.
- Brady, B. H. G. and Brown, E. T. (1993). **Rock Mechanics for Underground Mining**. London: Chapman & Hall.

- Brown, C. E. (1993). Use of principal-component, correlation and stepwise multiple-regression analyses to investigation selected physical and hydraulic properties of carbonate-aquifers. **Journal of Hydrology**. 147: 169-195.
- Brown, E. T. (1981). **Rock Characterization, Testing and Monitoring - ISRM Suggested Methods**. Oxford: Pergamon.
- Bye, A. R. and Bell, F. G. (2001). Stability assessment and slope design at Sandstones open pit, South Africa. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 38: 449-466.
- Chryssanthakis, P. (2003). **Forsmark Site Investigation Borehole : KFM01A Results of Tilt Testing**. Oslo: Morwegian Geotechnical Institute.
- Coulson, J. M. (1972). Shear strength of flat surfaces in rock: stability of slopes. In **Proceedings of the 13th US Symposium on Rock Mechanics** (pp. 77-105). New York: ASCE.
- Deere, D. U. and Miller, R. P. (1966). Engineering classification and index properties of intact rock. Technical Report No. AFWL-TR-65-11. New Mexico: Kirkland Airforce Base.
- Dobereiner, L. and De Fretias, M. S. (1986). Geotechnical properties of weak sandstone. **Geotechnique**. 36(1): 79-94.
- Duzgun, H. S. N., Yucemen, M. S., and Karpuz, C. (2002). A probabilistic model for the assessment of uncertainties in the shear strength of rock discontinuities. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 39: 743-754.
- Dyke, C. G. and Dobereiner, L. (1991). Evaluating the strength and deformability of sandstones. **Quarterly Journal of Engineering Geology**. 24: 123-134.

- Evans, I. (1961). The tensile strength of coal. **Colliery Engineering**. 38: 428-434.
- Fahy, M. P. and Guccione, M. J. (1979). Estimating strength sandstone using petrographic thin-section data. **Engineering Geology**. 16: 467-485.
- Fairhurst, C. (1964). On the validity of the brazilian test for brittle materials. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 1: 535-546.
- Farmer, I. W. (1983). **Engineering Behavior of Rock** (2nd ed.). New York: Chapman and Hall.
- Fasching, A. (2002). Rock mass characterization in an early stage of a tunnel project. Short Course on Geotechnics for Tunnel Design and Construction (pp. 43-48). Bangkok, Thailand
- Fuenkajorn, K. (2003). **Fundamentals of Rock Mechanics**. Bangkok: Eson Paint Product.
- Fuenkajorn, K. (2003). **Fundamental of Rock Mechanics**. Bangkok: Eason Paint Product.
- Fuenkajorn, K. and Daemen, J. J. K. (1988). Boreholes closure in salt, Technical Report Prepared for the US Nuclear Regulatory Commission, Report No. NUREG/CR-5243 RW, University of Arizona.
- Fuenkajorn, K. and Daemen, J. J. K. (1992). An empirical strength criterion for heterogeneous tuff. **An International Journal Engineering Geology**. 32: 209-223.
- Giraud, A., Rochet, L., and Antoine, P. (1990). Processes of slope failure in crystallophyllian formation. **Engineering Geology**. 29: 241-253.

- Goodman, R. E. (1976). **Method of Geological Engineering**. St. Paul, MN: West publishing company.
- Goodman, R. E. (1989). **Introduction to Rock Mechanics** (2rd ed.). Canada: John Wiley & Sons.
- Grasselli, G. and Egger, P. (2000). 3D Surface characterization for the prediction of shear strength of rock joint. **In Proceedings of the Eurock 2000** (pp. 281-286). Balkema, Germany: Essen.
- Grasselli, G. and Egger, P. (2003). Constitutive law for the shear strength of rock joints based on three-dimensional surface parameters. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 40: 25-40.
- Griffith, A. A. (1924). Theory of rupture. In **Proceedings of the 1st Congression of the Applied Mechanics** (pp. 55-63). Delft: Technische Bockhandel en Drukkerij.
- Gunsallus, K. L. and Kulhawy, F. H. (1984). A comparative evaluation of rock strength measures. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 21: 233-248.
- Haberfield, C. M. and Johnston, I. W. (1994). A mechanistically-based model for rough rock joints. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 31(4): 279-292.
- Handlin, J. and Hager, R. V. (1957). Experimental deformation of sedimentary rock under a confining pressure. **Journal of the American Association for Petroleum Geology**. 41: 1-50.

- Hartley, A. (1974). A review of geological factors influencing the mechanical properties of road surface aggregation. **Quaternary Journal of Engineering Geology**. 7: 69-100.
- Hawkins, A. B. and McConnell, B. J. (1992). Sensitivity of sandstone strength and deformability to changes in moisture content. **Quarterly Journal of Engineering Geology**. 25: 115-130.
- Hencher, S. R. (1987). The implications of joints and structures for slope stability. In **Proceedings of the Slope Stability** (pp. 145-185). New York: John Wiley & Sons.
- Hencher, S. R. and Richards, L. R. (1982). The basic frictional resistance of sheeting joints in Hong Kong Granite. **Hong Kong Engineer**. 11(2): 21-25.
- Hencher, S. R. and Richards, L. R. (1989). Laboratory Direct Shear Testing of Rock Discontinuities. **Ground Engineering**. 22(2): 24-31.
- Hoek, E. (1965). **Rock Fracture under Static Stress Conditions**. Ph.D. Thesis, University of Cape Town, South Africa.
- Hoek, E. and Bray, J. W. (1981). **Rock Slope Engineering** (3rd ed.). London: The Institution of Mining and Metallurgy.
- Hoek, E. and Brown, E. T. (1980). **Underground Excavations in Rock**. London: The Institution of Mining and Metallurgy.
- Horn, H. M. and Deere, D. U. (1962). Friction characteristics of minerals. **Geotechnique**. 12: 319-335.
- Howarth, D. F. and Rowlands, J. C. (1986). Development of an index to quantify rock texture for qualitative assessment of intact rock properties. **Geotechnical Testing Journal**. 9: 169-179.

- Indraratna, B. and Haque, A. (2000). **Shear Behavior of Rock Joints**. Rotterdam: A.A. Balkema.
- ISRM. (1981). **Suggested Method for Rock Characterization, Testing and Monitoring**. Oxford: Pergamon.
- Jaeger, J. C. (1959). The frictional properties of joints in rocks. **Geofis pura appl.** 43: 148-158.
- Jaeger, J. C. (1971). Friction of rocks and stability of rock slopes. **Geotechnique**. 21(2): 97-143.
- Jaeger, J. C. and Cook, N. G. W. (1979). **Fundamentals of Rock Mechanics** (3rd ed.). London: Chapman and Hall.
- Johnston, I. W., Lam, T. S. K., and Williams, A. F. (1987). Constant normal stiffness direct shear testing for socketed pile design in weak rock. **Geotechnique**. 37(1): 83-89.
- Kawamura, K. and Ogawa, S. (1997). Slope failure in major tertiary mudstone zone. **Deformation and Progressive Failure in Geomechanics** (pp. 701-706). Japan.
- Kitagawa, R. (1999). Weathering mechanism and slope failures of granitic rocks in Southwest Japan-Effect of hydrothermal activities. In **Proceedings of the International Symposium on Slope Stability Engineering** (pp. 109-113). Rotterdam: A.A. Balkema.
- Kitamura, H., Aoki, M., Nishikawa, T., Suzuki, M., and Umezaki, T. (1999). Investigation of cut slope consisting of serpentinite and schist. In **Proceedings of the International Symposium on Slope Stability Engineering** (pp. 103-107). Rotterdam: A.A. Balkema.

- Kumsar, H., Akgun, M., and Aydan, Ö. (1998). A back analysis of circular slope failure at Pamukkale-Golemezli irrigation canal in Turkey. In **Regional Symposium on Sedimentary Rock Engineering** (pp. 197-203). Taiwan: Press.
- Ladanyi, B. and Archambault, G. (1970). Simulation of shear behavior of jointed rock mass. In **Proceedings of the 11th Symposium on Rock Mechanics: Theory and Practice** (pp. 105-125). New York: AIME.
- Landanyi, B. and Archambault, G. (1972). Evaluation de la resistance au cisaillement d'un massif rocheux fragmente. In **Proceedings of the 24th International Geological Congress** (pp. 249-260). Montreal.
- Maharaj, R. J. (1999). Site investigation of weathered expansive mudrock slopes: Implications for slope instability and slope stabilization. In **Proceedings of the International Symposium on Slope Stability Engineering** (pp. 115-120). Rotterdam: A.A. Balkema.
- Murrell, S. A. F. (1965). The effects of triaxial stress systems on the strength of rocks at atmospheric temperatures. **Geophys. J., R. Astron. Soc.** 10(3): 231-81.
- Onodera, T. F. and Asoka, K. H. M. (1980). Relation between texture and mechanical properties of crystalline rocks. **Bulletin of the International Association for Engineering Geology.** 22: 173-177.
- Patton, F. D. (1966). **Multiple Mode of Shear Failure in Rock and Related Material.** Ph.D. Thesis, University of Illinois, USA.

- Patton, F. D. (1966). Multiple modes of shear failure in rock. In **Proceedings of the 1st Congress on International Society Rock Mechanics** (pp. 509-513). Lisbon.
- Priest, S. D. (1975). **Geomechanical Aspects of Tunneling in Discontinuous Rock with Particular Reference to the Lower Chalk**. Ph.D. Thesis, University of Durham.
- Priest, S. D. (1993). **Discontinuity Analysis for Rock Engineering**. London: Chapman & Hall.
- Ramamurthy, T. (2001). Shear strength response of some geological materials in triaxial compression. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 38: 683-697.
- Riedmuller, G. and Schubert, W. (2002). Project and rock mass specific investigation for tunnels. Short Course on Geotechnics for Tunnel Design and Construction (pp. 56-74). Bangkok, Thailand.
- Riedmuller, G., Franz, J.B., Klima, K., and Medley, W. (2002). Engineering geological characterization of brittle faults and classification of fault rocks. Short Course on Geotechnics for Tunnel Design and Construction (pp. 13-33). Bangkok, Thailand.
- Romero, S. U. (1968). In situ direct shear tests on irregular surface joints filled with clayey material. In **Proceedings of the International Symposium on Rock Mechanics** (pp. 189-194). Madrid: ISRM.
- Ross-Brown, D. M. and Walton, G. (1975). A portable shear box for testing rock joints. **Rock Mechanics**. 7: 129-153.

- Saint Simon, P. G. R., Solymar, Z. V., and Thompson, W. J. (1979). Damsite investigation in soft rocks of Place River Valley. In **Proceedings of the 4th International Conference on Rock Mechanics** (pp. 553-560). Canada: Montreux.
- Schubert, W. and Riedmuller, G. (2002). Tunnelling in fault zones- state of the art in investigation and construction. Short Course on Geotechnics for Tunnel Design and Construction (pp. 7-15). Bangkok, Thailand.
- Seidel, J. P. and Haberfield, C. M. (1995). The application of energy principles to the determination of sliding resistance of rock joints. **Rock Mechanics Rock Engineering**. 28(4): 211-226.
- Selley, R. C. (1994). **Applied sedimentology**. London: Academic Press Limited.
- Shakoor, A. and Bonelli, R. E. (1991). Relationship between petrographic characteristics, engineering index properties, and mechanical properties of selected sandstone. **Bulletin of the International Association for Engineering Geologists**. 28: 55-71.
- Simons, N., Menzies, B., and Matthews, M. (2001). **Soil and Rock Slope Engineering**. Great Britain: MPG Books.
- Skinas, C. A., Bandis, S. C., and Demiris, C. A. (1990). Experimental investigations and modeling of rock joint behavior under constant normal stiffness. In Barton and Stephansson (eds.). **Rock Joint** (pp. 301-307). Rotterdam: A.A. Balkema.
- Stavros, C. and Bandis, S. (1998). Engineering properties and characterization of rock discontinuities. In J.A. Hudson (ed). **Comprehensive Rock Engineering Principles, Practice & Projects** (pp.155-183). Oxford: Pergamon.

- Stimpson, B. (1981). A suggested technique for determining the basic friction angle of rock surfaces using core. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 18: 63-65.
- Tisa, A. and Kovari, K. (1984). Continuous failure state direct shear tests. **Rock Mechanics Rock Engineering**. 17(2): 83-95.
- Tse, R. and Cruden, D. M. (1979). Estimating joint roughness coefficients. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 16: 303-307.
- Ulusay, R., Tureli, K., and Ider, M. H. (1994). Prediction of engineering properties of a selected litharenite sandstone from it's petrographic characteristics using correlation and multivariate statistical techniques. **Engineering Geology**. 37: 135-157.
- Vasarhelyi, B. (1999). Shear failure in rock using different constant normal load. **Periodica Polytechnica Ser. Civ. Eng.** 43(2): 179-186.
- Vutukuri, V. S., Lama, R. D., and Saluja, S. S. (1974). **Handbook on Mechanical Properties of Rocks** (Vol. 1). Clausthal-Zellerfeld: Trans Tech Publications.
- Waltham, A. C. (1994). **Foundations of Engineering Geology**. Glasgow: Blackie Academic & Professional.
- Wyllie, D. C. (1998). **Foundation on Rock**. London: E&FN Spon.
- Xu, S. and De Fretias, M. H. (1990). The complete shear stress versus shear displacement behavior of clean and infilled rough joint. In **Proceedings of the International Conference on Rock Joint** (pp. 341-348). Rotterdam: A.A. Balkema.

- Yang, Z. Y., Di, C. C., and Lo, S. C. (2001). Reassessing the joint roughness coefficient (JRC) estimation using Z_2 . **Rock Mechanics Rock Engineering**. 34(3): 243-251.
- Yang, Z. Y., Di, C. C., and Lo, S. C. (2001). Two-dimensional Hurst index of joint surface. **Rock Mechanics Rock Engineering**. 34(4): 323-345.
- Zhao, J. (1988). The joint matching coefficient (JMC) of rock joints. In **Proceedings of the International Symposium on Tunneling for Water Resources and Power Projects** (pp. 21-27). New Delhi.
- Zhao, J. (1997). Joint surface matching and shear strength Part B. JRC-JMC shear strength criterion. **International Journal of Rock Mechanics and Mining Sciences & Geomechanics Abstracts**. 34: 179-185.
- Zhao, J. and Zhou, Y. (1992). Influence of joint matching characteristics in rock slope stability. In **Proceedings of the ISRM Regional Symposium on Rock Slope** (pp.139-146). New Delhi.